

utical Almanac Nautical Almanac Nautical Alm  
***nautical Almanac Nautical Alr***  
al Almanac Nautical Almanac Nauti  
***nautical Almanac Nautic***  
l Almanac Nautical Alm  
Nautical Almanac Nautical Almanac Nautical  
Nautical Almanac  
***utical Almanac Nautical Almanac Nautical***  
***nautical Almanac Nautica***  
al Almanac Nautical Almanac Nautical Alman  
***nautical Almanac Nautic***  
autical Almanac Nautic  
***utical Almanac Nautical Almanac Nautical***  
***Nautical Almanac Nautical Almanac***  
***nautical Almanac Nautical Almar***  
cal Naut  
ut N  
***la*** ***ut***  
utical Almanac Nautical Alm  
***nautical Almanac Nautic***  
***utical Almanac Nautical Almanac Nautical Alm***  
***utical Almanac Nautic***  
Nautical Almanac Nautical Almanac  
***nautical Almanac Nautic***



Nautical Almanac

2026



# The Nautical Almanac 2026

Compiled with *Nautical Almanac* revision V2.7 - Oct 2022, using NOVAS version C3.1 - Mar 2011  
The Almanac data have been produced with the JPL Ephemerides DE405

## Warning and Terms of Usage:

The following pages have been generated by a computer program. Complex computer programs often have bugs and may produce wrong data. The data in this Nautical Almanac is believed to be accurate but no warranty is given for its correctness.

Use this Nautical Almanac only for training and exercising!

Compiled by Erik De Man (mail2erik@siranah.de) on Fri Oct 24 12:34:49 2025



# Introduction

This Nautical Almanac contains the Ephemerides of the Sun, the Moon, Venus, Mars, Jupiter and Saturn. It is designed for determination of Position (geographical Latitude and Longitude) from astronomical observations (Altitude of Celestial Objects).

The data compiled in this Nautical Almanac is based on calculations done with the software package "NOVAS" from the U.S. Naval Observatory (<http://aa.usno.navy.mil/AA/software>). The basic ephemerides are taken from the "DE405" files published by the Jet Propulsion Laboratory (<http://ssd.jpl.nasa.gov>).

## Values for "deltaT"

For the astrodynamical calculations, the following values for "delta T" (the difference between terrestrial time realized by atomic clocks and UT defined by the irregular rotation of the Earth) have been used:

Jan : 69.1 s	Apr : 69.1 s	Jul : 69.1 s	Oct : 69.0 s
Feb : 69.1 s	May : 69.1 s	Aug : 69.1 s	Nov : 69.0 s
Mar : 69.1 s	Jun : 69.1 s	Sep : 69.1 s	Dec : 69.0 s

## Interpolation of the integral-hour GHA and Dec values

This Nautical Almanac uses a slightly different approach for the interpolation of the integral-hour values of Greenwich Hour Angle and Declination, compared to the techniques used in most commercially available Almanacs.

The almanac pages in this Nautical Almanac are compiled according to the following scheme:

UT	GHA	ddGHA	Dec	dDec
	° ' ' /h	' /h	° ' ' /h	' /h
...				
13:00	176 41.8	-31.3	S 23 09.6	+01.8
14:00	191 10.5	-31.3	S 23 11.4	+01.8
15:00	205 39.2	-31.3	S 23 13.2	+01.6
16:00	220 07.9	-31.3	S 23 14.8	+01.5
...				

The values for the Greenwich Hour Angle (GHA) and Declination (Dec) are given for the integral hours of Universal Time (UT). In the columns "ddGHA" and "dDec", the increase or decrease of these values for the next full hour of time are recorded. However, for the Greenwich Hour Angle (GHA), this differential value is not the total change. An hour angle basically increases with 15° per hour and the value "ddGHA" is only the variation additional to this fixed increment of 15° per hour.

It is important to note that when interpolating the GHA values, this fixed increase of 15° per hour must also be taken into account.

For more information please refer to the following internet site: "<http://www.siranah.de/>"



## Positions of the Celestial Objects


The charts on the following pages show the position of the Celestial Objects used in this Nautical Almanac relative to the stars (celestial background). The charts can be used to find the location of the planets and also for the planning of astronomical observations.

The charts are provided for each month of the year. Each chart has two parts showing a part of the celestial sphere around the ecliptic. Note that the position of the Celestial Equator (Declination =  $0^\circ$ ) is not on the same position in the two different parts of each of the charts.


The changing position of a Celestial Object through the month is drawn as a solid line (not for the Moon). Marker ticks along this line are shown to indicate the position of the Object on the 1st, 8th, 15th, 22nd and 29th day of the month (at 12:00 UT). For Jupiter and Saturn only the first day is marked since their apparent position does not change significantly over the period of one month. The position of the Moon is shown by a small circle for each individual day of the month. Notice that the circles are much larger than the apparent size of the Moon.





# January 2026





# February 2026





# March 2026





# April 2026





# May 2026





# June 2026




# July 2026




# August 2026





# September 2026





# October 2026



# November 2026











# December 2026





# Phases of the Moon

The following table lists the phases of the Moon through the year 2026. The table shows the day and the approximate time (in UTC) when the particular lunar phases occur. The calculations are based on the difference between the GHA of the Sun and the GHA of the Moon ( $\Delta_{GHA} = GHA_{sun} - GHA_{moon}$ ). The constellations "new moon", "first quarter", "full Moon" and "last quarter" are obtained when  $\Delta_{GHA}$  is equal to  $0^\circ$ ,  $90^\circ$ ,  $180^\circ$  and  $270^\circ$  respectively.

	 <b>New Moon</b>	 <b>First Quarter</b>	 <b>Full Moon</b>	 <b>Last Quarter</b>
January	Sun 18 18:23	Mon 26 16:26	Sat 3 09:19	Sun 11 02:33
February	Tue 17 11:19	Tue 24 20:09	Sun 1 20:53	Tue 10 01:51
March	Thu 19 02:51	Wed 25 17:33	Tue 3 11:56	Wed 11 13:24
April	Fri 17 14:32	Thu 23 17:05	Thu 2 04:49	Thu 9 21:19
May	Sat 16 22:03	Sat 23 02:27	Fri 1 20:37 Sun 31 10:22	Sat 9 09:36
June	Mon 15 03:15	Mon 22 00:24	Mon 29 23:23	Mon 8 06:26
July	Tue 14 08:50	Tue 21 23:59	Wed 29 13:25	Wed 8 03:55
August	Wed 12 17:04	Thu 20 14:26	Fri 28 04:42	Thu 6 14:07
September	Fri 11 04:51	Fri 18 22:22	Sat 26 19:19	Fri 4 13:48
October	Sat 10 19:05	Sun 18 07:17	Mon 26 07:14	Sat 3 10:03
November	Mon 9 10:08	Tue 17 01:10	Tue 24 16:36	Sun 1 10:50
December	Wed 9 01:51	Thu 17 06:25	Thu 24 01:22	Tue 1 00:09 Thu 31 01:54
Tidal Phase	spring 	neap 	spring 	neap 

## Lunar Phases and Tides

The lunar phases may be used to roughly estimate the occurrence of spring and neap tides. Spring tide occurs around new and full moon. Neap tide occurs around the first and last quarter.

Each tidal region on Earth, has a characteristic "tidal delay" which, specifies the time difference between the occurrence of a particular lunar phase and the occurrence of the resulting tidal phase. The tidal delay can be a couple of hours for the open seas, or up to several days for branched tidal waters such as parts of the North Sea.

Reliable tidal predictions are obtained from a Tidal Almanac.

# Lunar Eclipses

An eclipse of the Moon - or lunar eclipse - can only occur at Full Moon, and only if the Moon passes through some portion of the Earth's shadow. The Earth's shadow is composed of two concentric cone-shaped components. The outer or penumbral shadow is a region where the Earth blocks part (but not all) of the Sun's light from reaching the Moon. The inner or umbral shadow is a region where the Earth blocks all direct sunlight from reaching the Moon. Based on this, three types of lunar eclipses are distinguished:


1. Penumbral Lunar Eclipse: the Moon passes through the Earth's penumbral shadow. These kind of eclipses are subtle and very difficult to observe.
2. Partial Lunar Eclipse: a part of the Moon passes through the Earth's umbral shadow.
3. Total Lunar Eclipse: the Moon passes entirely through the Earth's umbral shadow. During this phase of the eclipse the Moon will take a vibrant range of dark red and brown colors.

NOTICE: Eclipse contact times depend on the angular diameters of the Sun and Moon. The calculations in this Almanac are based on a perfect circular form for the limb of the Moon, and do not take into account effects of refraction of the sunlight in the Earth atmosphere. Since this is only an approximation of reality, contact times are accurate only within a couple of minutes.

The following lunar eclipses may be observed during the year 2026:

**March 3 :** a total lunar eclipse begin [ Mar 3, 08:44 UTC ] / end [ Mar 3, 14:24 UTC ]

$R_p = 1.245^\circ$   
 $R_u = 0.702^\circ$   
 $SD = 0.260^\circ$




- March 3**
- |               |                                 |
|---------------|---------------------------------|
| 1 - 08:44 UTC | begin of penumbral eclipse (P1) |
| 2 - 09:50 UTC | begin of partial eclipse (U1)   |
| 3 - 11:04 UTC | begin of total eclipse (U2)     |
| 11:34 UTC     | moment of greatest eclipse      |
| 5 - 12:04 UTC | end of total eclips (U3)        |
| 6 - 13:17 UTC | end of partial eclipse (U4)     |
| 7 - 14:24 UTC | end of penumbral eclipse (P4)   |

**March 3**

**August 28 :** a partial lunar eclipse begin [ Aug 28, 01:25 UTC ] / end [ Aug 28, 07:02 UTC ]

$R_p = 1.221^\circ$   
 $R_u = 0.688^\circ$   
 $SD = 0.255^\circ$



- August 28**
- |               |                                 |
|---------------|---------------------------------|
| 1 - 01:25 UTC | begin of penumbral eclipse (P1) |
| 2 - 02:35 UTC | begin of partial eclipse (U1)   |
| 04:14 UTC     | moment of greatest eclipse      |
| 6 - 05:52 UTC | end of partial eclipse (U4)     |
| 7 - 07:02 UTC | end of penumbral eclipse (P4)   |

**August 28**



# Solar Eclipses

An eclipse of the Sun - or solar eclipse - can only occur at New Moon, and only if the Earth passes through some portion of the Moon's shadow. Seen from the Earth, the Moon passes in front of the Sun and thus a part - or all - of the light of the Sun is eclipsed. The shadow cast by the Moon is composed of two concentric cone-shaped components. The outer or *penumbral* shadow zone is the region where the Moon blocks a part of the sunlight. The inner or *umbral* shadow zone is a region where the Moon blocks all sunlight. Based on this, three types of solar eclipses may be distinguished:

1. Total solar eclipse: occurs when the umbra of the Moon's shadow touches a region on the surface of the Earth.
2. Partial solar eclipse: occurs when the penumbra of the Moon's shadow passes over a region on the Earth's surface.
3. Annular solar eclipse: occurs when a region on the Earth's surface is in line with the umbra, but the distances are such that the tip of the umbra does not reach the Earth's surface


Because of the relative sizes of the Moon and Sun and their specific distances from the Earth, only a small part of the Earth surface is covered by the Moon shadow during a solar eclipse. Especially the path of totality is usually very narrow (a few hundreds of kilometers across). A much broader region is covered by the penumbral shadow of the Moon. However, an observer in this region will see only a partial solar eclipse.

The appearance of a specific solar eclipse can be summarized conveniently by mapping the path of totality and the region covered by the penumbral shadow of the Moon for the complete duration the eclipse. The lines of constant time, included in the charts, indicate the instances of greatest eclipse.

Warning: never look directly at the Sun without proper eye protection, even during an eclipse. Even when the Sun is partially covered, your eyes can be seriously damaged by looking directly at it. Sunglasses are not an adequate eye protection for viewing the Sun.


The following solar eclipses may be observed during the year 2026:

**February 17 : annular solar eclipse** begin [ Feb 17, 09:56 UT ] / end [ Feb 17, 14:28 UT ]



<b>Circumstances at Moment of Greatest Eclipse</b>				<b>Fist Contacts (P1/U1)</b>		<b>Last Contacts (U4/P4)</b>	
Time:	12:10 UT	Duration (full):	2.8 min	Penumbra	Umbral	Umbral	Penumbra
Location:	S 65.7 E 088.1	Path Width:	740 km	09:56 UT	11:42 UT	12:42 UT	14:28 UT

**August 12 : total solar eclipse** begin [ Aug 12, 15:34 UT ] / end [ Aug 12, 19:58 UT ]



<b>Circumstances at Moment of Greatest Eclipse</b>				<b>Fist Contacts (P1/U1)</b>		<b>Last Contacts (U4/P4)</b>	
Time:	17:43 UT	Duration (full):	2.2 min	Penumbra	Umbral	Umbral	Penumbra
Location:	N 66.2 W 023.4	Path Width:	297 km	15:34 UT	16:58 UT	18:34 UT	19:58 UT

# Equation of Time

The "Equation of Time" is the difference between the Apparent Solar Time and the Mean Solar Time at the Prime Meridian of Greenwich. The value for the Equation of Time (EoT) for a specific day can be obtained from the Nautical Almanac. The section of the Sun records the "Greenwich Culmination Time" (GCT), which is the UT time at which the Geographical Position of the Sun transits the Prime Meridian of Greenwich. This is also the UT time of Local Apparent Noon for the Prime Meridian. Thus, the value for the Equation of Time is obtained from:  $EoT = 12:00:00 - GCT$ .

Examples:

GCT = 11:57:23


GCT = 12:01:57

EoT = 12:00:00 - 11:57:23 = +00:02:37

EoT = 12:00:00 - 12:01:57 = -00:01:57

Notice that EoT has a sign: positive if the Sun "culminates" before 12 UT (then Apparent Time is "leading" Mean Time) and negative if the Sun "culminates" after 12 UT (then Apparent Time is "lagging" Mean Time).

The graph below shows the values for the "Equation of Time" (in Minutes) for the year 2026.





# Nautical Almanac

The following pages contain the coordinates of the Geographical Position (in Greenwich Hour Angle and Declination) for each integral hour of the year for the recorded celestial objects. Each page compiles the complete Almanac data for one day of the year. The time used in this Almanac is Universal Time (UT).

## NOTICE:

This Nautical Almanac uses a slightly different approach for the interpolation of the integral-hour values of Greenwich Hour Angle and Declination, compared to the techniques used in most commercially available Almanacs.

For more information please refer to the following web site: "<http://www.siranah.de/>"

## Abbreviations used in the Almanac tables:

UT	Universal Time
GHA	Greenwich Hour Angle
Dec	Declination
ddGHA	the increment of the GHA value for the next hour of time, additional to the "linear" increment of 15°/h
dDec	the increment of the Dec value for the next hour of time
SD	Semi-Diameter of the celestial object
HP	Horizontal Parallax
SHA	the Siderial Hour Angle of the celestial object
A	the "Age" of the moon cycle, according to the following scheme:

## Units:

°	[degrees]
°	[degrees]
'	[minutes of arc]
'	[minutes of arc]
'	[minutes of arc]
'	[minutes of arc]
°	[degrees]
A = 00%	: new moon
A = 25%	: first quarter
A = 50%	: full moon
A = 75%	: last quarter

